



Contents

03	Recommendatory Cabs
13	Entire Cabs
29	COP
31	HBP
35	Buttons
37	Ceilings
41	Handrails
43	Flooring
45	Entrance Decoration
47	Entrance Landing Door
48	Etched Pattern
48	Luxury Cab Package

The Otis elevator aesthetics is the result of a comprehensive market research program conceived to satisfy the needs of customers and the aspirations of passengers.

An elevator car conceived by us is designed for you



Enter

Recommendatory Cabs



Configurations

Ceiling: 4095 Hairline stainless steel
(EEC is unavailable)

Wall: 2192 Mirror st.steel & Vibration
st.steel & Vibration etched st.steel

Flooring: 4901PVC

Door: Vibration stainless steel

COP2

CPI: 7" TFT-LCD(UI 2)

Faceplate: Vibration stainless steel

Buttons: BR27A

Configurations

Ceiling: 4094L(W1003)
(EEC is available)

Wall: 2220 Hairline stainless steel &
Mirror stainless steel

Flooring: 4901PVC(MA-0201)

Door: Hairline stainless steel


COP8-P

CPI: 7" TFT-LCD (UI 16)

Faceplate: Hairline stainless steel

Buttons: BR27B(K)

* All COP showed above are for reference only, not included in the package.



Configurations

Ceiling: 4094L(W1003)
(EEC is available)

Wall: 2183 Mirror stainless steel & Wood

Flooring: 4901PVC(AB-8305)

Door: Mirror stainless steel

COP2

CPI: 7" TFT-LCD(UI 2)

Faceplate: Mirror stainless steel

Buttons: BR27B(K)

Configurations

Ceiling: 4183(W1008)
(EEC is unavailable)

Wall: 2189 Titanium mirror stainless steel & Wood

Flooring: 4901PVC(KC-09207)

Door: Titanium mirror stainless steel

Handrail: 4900R-E


COP2 (Right center)

CPI: 10. 4" TFT-LCD (UI 10)

Faceplate: Titanium mirror stainless steel

Buttons: BR27B(K)

* All COP showed above are for reference only, not included in the package.



Configurations

Ceiling: 4087L(M6004)
(EEC is unavailable)

Wall: 2120 Hairline stainless steel

Flooring: 4901AH

Door: Hairline stainless steel

COP2

CPI: 6.4" STN-LCD

Faceplate: Hairline stainless steel

Buttons: BR27A

Configurations

Ceiling: 4087L(M6004)
(EEC is unavailable)

Wall: 2124 Hairline stainless steel &
Mirror stainless steel

Flooring: 4901PVC

Door: Hairline stainless steel


COP2

CPI: 7" TFT-LCD (UI 18)


Faceplate: Hairline stainless steel

Buttons: BR27B(K)

* All COP showed above are for reference only, not included in the package.



HM-6-8KT



Configurations

Ceiling: 4120L (EEC is unavailable)

Wall: 2110 Titanium mirror stainless steel

Flooring: 4901PVC

Door: Titanium mirror stainless

COP2

CPI: 10.4" TFT-LCD (UI 10)

Faceplate: Titanium mirror stainless steel

Buttons: BS34D(B)

Configurations

Ceiling: 4120L (EEC is unavailable)

Wall: 2193 Etched stainless steel^①

Flooring: 4901PVC

Door: Titanium mirror stainless steel

COP2

CPI: 7" TFT-LCD (UI 2)

Faceplate: Titanium mirror stainless steel

Button: BR27B(K)

* All COP showed above are for reference only, not included in the package.

① Etched car aesthetics, can be customized by customer, please contact CLC



Configurations

Ceiling: 4120L^① (EEC is unavailable)
Wall: 2190^② Etched stainless steel
Flooring: 4901 PVC
Door: Hairline stainless steel

COP2

CPI: 7" TFT-LCD(UI 2)
Faceplate: Mirror stainless steel
Button: BR27A

Configurations

Ceiling: B4091L(W1001)
 (EEC is unavailable)
Wall: 2130 Painted steel
Flooring: 4901PVC
Door: Painted steel

COP2


CPI: 6.4" STN-LCD
Faceplate: Painted Steel
Buttons: BR27A

* All COP showed above are for reference only, not included in the package.

① The ceiling showed on P11 is non-standard, please contact CLC.

② Etched car aesthetics, can be customized by customer, please contact CLC


Entire Cabs



* All COP showed above are for reference only, not included in the package.

Classic

2600



Walls

Front Wall: Hairline stainless steel
Rear Wall: Painted steel RAL120_MPL
 + Mirror st.st + Painted steel RAL120_MPL
Side Wall: Painted steel RAL120_MPL
 + Color metal of Burma teak + Painted steel RAL120_MPL

Ceilings

Type: 4601L
Material: Hairline stainless steel
Lighting type: LED down lamp lighting


Floor

Type: 4901DB
Size per unit: 450*450mm
Finish material: PVC





Classic

2601A




2601B



Classic

2602A



2602B



Walls

Front Wall: Hairline stainless steel
Rear Wall: Titanium black mirror st.st + Sand st.st + Titanium black mirror st.st
Side Wall: Sand st.st + Sand st.st + Titanium black mirror st.st

Ceilings

Type: 4600L
Material: Mirror stainless steel
Lighting type: LED platform lighting

Floor

Type: 4901DD
Size per unit: 450*450mm
Finish material: PVC

Walls

Front Wall: Hairline stainless steel
Rear Wall: Titanium black mirror st.st + Mirror st.st SK-2 + Titanium black mirror st.st
Side Wall: Titanium black mirror st.st + Mirror st.st SK-2 + Titanium black mirror st.st

Ceilings

Type: 4600L
Material: Mirror stainless steel
Lighting type: LED platform lighting


Floor

Type: 4901PA
Size per unit: 450*450mm
Finish material: PVC




Fragrant

2603A




2603B




Fragrant

2604A



2604B



Walls

Front Wall: Hairline stainless steel
Rear Wall: Mirror st.st + Color metal of Champagne gold texture + Mirror st.st
Side Wall: Painted steel RAL780_MPL + Painted steel RAL780_MPL + Mirror st.st

Ceilings

Type: 4600L
Material: Mirror stainless steel
Lighting type: LED platform lighting

Floor

Type: 4901 MA-0201
Size per unit: 450*450mm
Finish material: PVC

Walls

Front Wall: Hairline stainless steel
Rear Wall: Painted steel RAL140_MPL + Mirror st.st + Painted steel RAL140_MPL
Side Wall: Sand st.st + Painted steel RAL140_MPL + Painted steel RAL140_MPL

Ceilings

Type: 4600L
Material: Sand stainless steel
Lighting type: LED platform lighting


Floor

Type: 4901DF
Size per unit: 450*450mm
Finish material: PVC


Fragrant



2605A




2605B




Elegant



2606A



2606B



Walls

Front Wall: Hairline stainless steel
Rear Wall: Sand st.st + Color metal of Oak + Sand st.st
Side Wall: Sand st.st+ Mirror st.st + Sand st.st

Ceilings

Type: 4600L
Material: Mirror stainless steel
Lighting type: LED platform lighting

Floor

Type: Carp01
Size per unit: 450*450mm
Finish material: PVC

Walls

Front Wall: Hairline stainless steel
Rear Wall: Mirror st.st + Color metal of Burma teak+ Mirror st.st
Side Wall: Mirror st.st + Painted steel RAL120_MPL + Mirror st.st

Ceilings

Type: 4601L
Material: Mirror stainless steel
Lighting type: LED down lamp lighting


Floor

Type: 4901DB
Size per unit: 450*450mm
Finish material: PVC




Elegant

2607A




2607B




Elegant

2608A



2608B



Walls

Front Wall: Hairline stainless steel
Rear Wall: Mirror st.st + Color metal of Elegant white cloth + Mirror st.st
Side Wall: Mirror st.st + Color metal of Ebony + Mirror st.st

Ceilings

Type: 4600L
Material: Mirror stainless steel
Lighting type: LED platform lighting

Floor

Type: 4901DA
Size per unit: 450*450mm
Finish material: PVC

Walls

Front Wall: Hairline stainless steel
Rear Wall: Titanium black mirror st.st + Rose gold mirror st.st SK-42 + Titanium black mirror st.st
Side Wall: Color metal of Red sandalwood wood + Color metal of Red sandalwood wood + Titanium black mirror st.st

Ceilings

Type: 4600L
Material: Sand stainless steel
Lighting type: LED platform lighting


Floor

Type: 4901DG
Size per unit: 450*450mm
Finish material: PVC




Colorful

2609A




2609B




Colorful

2610A



2610B



Walls

Front Wall: Hairline stainless steel
Rear Wall: Titanium black mirror st.st +
 Mirror st.st SK-43 + Titanium black
 mirror st.st
Side Wall: Color metal of bright yellow
 + Color metal of bright yellow +
 Titanium black mirror st.st

Ceilings

Type: 4600L
Material: Mirror stainless steel
Lighting type: LED platform lighting

Floor

Type: 4901DD
Size per unit: 450*450mm
Finish material: PVC

Walls

Front Wall: Hairline stainless steel
Rear Wall: Titanium black mirror st.st +
 Mirror st.st SK-43 + Titanium black
 mirror st.st
Side Wall: Color metal of bright red +
 Color metal of bright red + Titanium
 black mirror st.st

Ceilings

Type: 4600L
Material: Mirror stainless steel
Lighting type: LED platform lighting


Floor

Type: 4901DD
Size per unit: 450*450mm
Finish material: PVC




Colorful

2611A




2611B



Insight Guides

2612A



2612B



Walls

Front Wall: Hairline stainless steel
Rear Wall: Mirror st.st + Mirror st.st SK-43 + Mirror st.st
Side Wall: Color metal of Bright black pearl + Color metal of Bright black pearl + Mirror st.st

Ceilings

Type: 4600L
Material: Mirror stainless steel
Lighting type: LED platform lighting

Floor

Type: 4901DD
Size per unit: 450*450mm
Finish material: PVC

Walls

Front Wall: Hairline stainless steel
Rear Wall: Champagne gold mirror st.st SK-45
Side Wall: Color metal of white marble stone

Ceilings

Type: 4601L
Material: Champagne gold mirror stainless steel
Lighting type: LED down lamp lighting

Floor


Type: 4901DG
Size per unit: 450*450mm
Finish material: PVC

COP2



Optional Display

7" TFT-LCD



CPI Frame (only for 7" TFT-LCD)



- I Faceplate
- II Display
- III Intercom
- IV Floor Button
- V Service Switch

Standard Faceplate: Hairline Stainless Steel

Optional Faceplate: Mirror Stainless Steel/ Titanium Mirror Stainless Steel/ Vibration Stainless Steel

Standard Floor Button: BR27A

Optional Floor Button: BR27A(B)/ BR27B(K)/ BR32A(B)/ BR32A/ BR36A/ BR36A(B)/ BS35B/ BS34C/ BR34C(B)/ BS34D(B)

Standard Display: 7" TFT-LCD (without frame)

Optional Display: 10.4" TFT-LCD/ 12.1" TFT-LCD/ 10.4" TFT-LCD Multimedia/ 12.1" TFT-LCD Multimedia/ 6.4" STN-LCD

Location: For COP at Front and at Side Center.

COP8-P



Floor Button: BR27A(B)/ BR27A/ BR27B(K)/ BR32A (B)/ BR32A/ BR36A/ BR36A(B)/ BS35B/ BR34C(B)/ BS34D(B)


Applicable Stops: 2-36

Display: 7" TFT-LCD (standard without frame)

Faceplate: Hairline Stainless Steel/ Mirror Stainless Steel/ Titanium Mirror Stainless Steel

Location: For COP at Side Center only.

- I Faceplate
- II Display
- III Intercom
- IV Floor Button
- V Service Box



HBP 11

Combined HBP 11

Standard Display: 4.3" STN-LCD
Optional Display: 4.3" TFT-LCD


Standard Faceplate: Hairline stainless steel
Optional Faceplate: Mirror stainless steel

Standard Button: BR27B
Optional Button: BR32A(B)/ BR34C(B)/ BS34D(B)/ BS34C

Standard




HBP11-STN



▲ Integral hall buttons (Simplex)



HBP11-STN



▲ Integral hall buttons (Duplex)

Optional

Simplex



HBP11-TFT

Faceplate: Hairline st.st
Display: TFT-LCD
Button: BR34C(B)



HBP11-STN

Faceplate: Mirror st.st
Display: STN-LCD
Button: BR27B



HBP11-TFT

Faceplate: Mirror st.st
Display: TFT-LCD
Button: BS34D(B)

Duplex



HBP11-TFT

Faceplate: Hairline st.st
Display: TFT-LCD
Button: BR34C(B)



HBP11-STN

Faceplate: Mirror st.st
Display: STN-LCD
Button: BR27B



HBP11-TFT

Faceplate: Mirror st.st
Display: TFT-LCD
Button: BS34D(B)

Separate HBP11



7" STN-LCD



7" TFT-LCD

Ⓡ HPI



Aluminium Alloy

Ⓢ Fire Switch



Hairline st. steel



Mirror st. steel

Ⓢ HBP11-B



Ⓡ Hall Lantern




Hairline st. steel




Mirror st. steel

Ⓢ Park Switch



Duplex option



Simplex option

- Ⓡ Hall Position Indicator
- Ⓡ Hall Lantern
- Ⓢ Fire Switch
- Ⓢ Hall Button
- Ⓢ Park Switch

HBP 12

Combined HBP 12

Standard

Display: 4.3" TFT-LCD

Faceplate: Hairline Stainless Steel

Button: BR27B



Optional



Display: 4.3" TFT-LCD (UI 15/ UI 16/ UI 18)

Faceplate: Mirror stst/ Titanium mirror stst/ STROS/ SK-40-8K/ SK-40-8KT/ SK-40-8KR/ SK-41-8K/ SK-41-8KT/ SK-41-8KR

Button: BS34E/ BR34E/ BS34F/ BS34F(B)/ BR34F/ BR34F(B)



Separate HBP 12




Buttons



BR27A

- ① Hairline st. steel
- ② Titanium mirror st. steel
- ③ Mirror st. steel



Available for: HBP11-A, COP2, COP8-P




BR27A(B)

- ① Hairline st. steel with braille
- ② Titanium mirror st. steel with braille
- ③ Mirror st. steel with braille



Available for: HBP11-A, COP2, COP8-P



BR27B

- ① Hairline st. steel
- ② Titanium mirror st. steel
- ③ Mirror st. steel



Available for: HBP11



BR27B(K)

- ① Hairline st. steel
- ② Titanium mirror st. steel
- ③ Mirror st. steel



Available for: COP2, COP8-P



BR34C(B)

- ① Hairline st. steel with braille
- ② Titanium mirror st. steel with braille
- ③ Mirror st. steel with braille



Available for: HBP11, COP2, COP8-P



BS34D(B)

- ① Hairline st. steel with braille
- ② Titanium mirror st. steel with braille
- ③ Mirror st. steel with braille



Available for: HBP11, COP2, COP8-P



BR36A

- ① Hairline st. steel
- ② Titanium mirror st. steel
- ③ Mirror st. steel



Available for: COP2, COP8-P



BR36A(B)

- ① Hairline st. steel with braille
- ② Titanium mirror st. steel with braille
- ③ Mirror st. steel with braille



Available for: COP2, COP8-P



BR34E
BR34F

- ① Hairline st. steel
- ② Mirror st. steel



BR34F(B)

- ① Hairline st. steel with braille
- ② Mirror st. steel with braille



Available for: HBP12 BR34E & BR34F are combined with HBP12.



BS34E
BS34F

- ① Hairline st. steel
- ② Mirror st. steel



BS34F(B)

- ① Hairline st. steel with braille
- ② Mirror st. steel with braille



Available for: HBP12 BS34E & BS34F are combined with HBP12.



BR32A(B)

- ① Zinc alloy



Available for: HBP11,
COP2, COP8-P

Ceilings

Ceiling	Standard Frame Material	Optional Frame Material		Emergency Exit	Deep Car
		Painted Color	Stainless Steel		
4020A	M6002	⊙	⊙	⊙	⊙
4051A	M6002	⊙	⊙	⊙	⊙
LED 4074L	M6004	⊙	⊙	⊙	⊙
LED 4081L	W1003	⊙	⊙	⊙	⊙
LED 4082L	Hairline Stainless Steel	●	⊙		⊙
LED 4087L	M6004	⊙	⊙		⊙
LED 4094L	W1003	⊙	⊙	⊙	⊙
4095	Hairline Stainless Steel	●	Vibration st. steel		
LED 4170L	R3001	⊙			⊙
LED 4180L	M6004	⊙	●		⊙
LED B4091L	W1001	⊙			⊙

All ceiling items ending in L are LED energy-saving ceilings.


LED ceiling ensures a longer life time with more energy-saving and more environmental.

Non-LED ceilings of 4074, 4081, 4082, 4087, 4094, 4180 and B4091 also could be adopted .

NOTE:


1. All pictures effect showed here was based on 1000kg. Please contact CLC for specific requirement
2. More ceilings parameters, please refer to Passenger_ICD

- ⊙ Optional
- Contact CLC



Ceilings

LED ceiling



4082L

LED ceiling




4170L

LED ceiling



4087L

LED ceiling



4180L

LED ceiling




4094L

LED ceiling



B4091L



4095

Handrails

The 4900 R & S series handrail consists of base and connection cap. OTIS classical design concept is extended to the handrail, with its ends inset into the car wall. Finish combination shown below.


Exquisite handrails

4900R

- Base: Semi-gloss finish B

- Base: Mirror finish C


- Base: Titanium Mirror finish E



4900S

- Base: Mirror finish C

- Base: Titanium Mirror finish E



4900-A: Hairline st. steel
4900-B: Mirror st. steel



4900B-A: Hairline st. steel
4900B-B: Mirror st. steel



4900F: Hairline st. steel



Flooring




4901

4901

Color: MA-0201

PVC

Size: 450*450*3(mm)




4901AH

4901AH

PVC

Size: 450*450*3(mm)

Optional color




Color: AB-8305

Size: 450*450*3(mm)



Color: AB-8309

Size: 450*450*3(mm)



4901AE

4901AE

Color: A-105

Rubber

Size: 500*500*3(mm)


Optional color



A-104




A-120



Color: TM-746A

Size: 457*457*3(mm)




4901AM

4901AM


Steel Floor

Thickness: 3mm



Color: TW1776

Size: 152.4*914.4*3(mm)



4901AN

4901AN

Stainless Steel Floor

Thickness: 3mm

* For other flooring material or customization, please contact CLC.

Entrance Decoration

Narrow Jamb

Standard material:

Painted steel

Optional material: Hairline st. steel/ Mirror st. steel/ Titanium hairline st. steel/ Titanium mirror st. steel/ Vibration st. Steel

Wide Jamb


Standard material:

Painted steel

Optional material: Hairline st. steel/ Mirror st. steel/ Titanium hairline st. steel/ Titanium mirror st. steel/ Vibration st. steel




Narrow jamb




Narrow jamb




B type wide jamb



B type wide jamb




D type wide jamb



D type wide jamb



E type wide jamb



E type wide jamb


Note: Please contact CLC about size of fire rated door.

Etched Landing Door


Etched Pattern



SK-9
Titanium Mirror
Stainless Steel




SK-14
Mirror
Stainless Steel



SK-28
Mirror
Stainless Steel



SK-29
Rose gold
Stainless Steel



SK-31
Mirror
Stainless Steel



SK-34
Titanium mirror
Stainless Steel



SK-2



SK-5




SK-6



SK-7



SK-8



SK-11



SK-12



SK-13



SK-18



SK-19



SK-37



SK-38

Note: All kinds of etched patterns showed on this page could be applied on Hairline st.st, Mirror st.st, Titanium Hairline st.st and Titanium Mirror st.st as non-standard, please contact CLC

Note: All etched landing door are all available for Fire rated door but need contact CLC.
Please be noticed that door jame could not use the etched stainless steel as material